

Part Number: 1200652293

**Product Description :** Micro-Change (M12) Single-Ended Cordset with Knurled Hexnut, 5

Poles, Male (90°) to Pigtail, 22 AWG, Unshielded WSOR Cable, Green/Yellow 5th

Wire, 5.0m (16.40') Length

Series Number: 120065

**Product Category:** Circular Industrial

Cordsets

Status: Active

Engineering Number: 805007B42M050

#### **Documents & Resources**

### **Drawings**

Drawing 1200652293\_sd.pdf

## **Product Environment Compliance**

## Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

#### **Part Details**

#### General

Status	Active
Category	Circular Industrial Cordsets
Series	120065
Description	Micro-Change (M12) Single-Ended Cordset with Knurled Hexnut, 5 Poles, Male (90°) to Pigtail, 22 AWG, Unshielded WSOR Cable, Green/Yellow 5th Wire, 5.0m (16.40') Length
IP Rating	IP67
Product Family	Brad M8 and M12 Cordsets with Knurled Hexnuts and WSOR Cable
Product Name	Micro-Change (M12)
Protocol	N/A
Region	Europe
Туре	Single Ended
UPC	887191555072

## Agency

UL E152210
------------

## Electrical

Current - Maximum per Contact	4.0A
Voltage - Maximum	60V

# Physical

5.50mm (.216")
5.0m (16.40')
Black
Micro-Change (M12)
Pigtail
Knurled Hexnut, Threaded
Male-Pigtail
Single
No
TPU
TPU

Material - Contact	Brass
Material - Coupling Nut	Nickel-plated Brass
Material - Plating Mating	Gold
Orientation	90° to Pigtail
Poles	5
Temperature Range - Operating	-25° to +85°C
Wire/Cable Type	WSOR
Wire Size (AWG)	22

This document was generated on Jul 16, 2024