

Part Number : 1200688009

Series Number : 120068 Product Category : Industrial Tees and Splitters Product Description : Micro-Change (M12) Tee, 5 Poles, Male/Female with Female Drop Status : Active Engineering Number : 0812 051FJ 00000

Documents & Resources

Drawings

Drawing 1200688009_sd.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Not Relevant |
|--------------------|--|
| China RoHS | 6 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Contains Lead per D(2022)4187-DC (10 June 2022) |
| EU RoHS | Compliant with Exemption 6(c) per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|----------------|--|
| Category | Industrial Tees and Splitters |
| Series | 120068 |
| Description | Micro-Change (M12) Tee, 5 Poles, Male/Female with Female Drop |
| IP Rating | IP67 |
| Product Family | Brad Micro-Change (M12) Connectors |
| Product Name | Micro-Change (M12) |
| Туре | Drop Tee |
| UPC | 883906362270 |

Electrical

| Current - Maximum per Contact | 4.0A |
|-------------------------------|-----------------|
| Voltage - Maximum | 30V AC / 36V DC |

Physical

| Drop Connector | Micro-Change (M12) |
|-------------------------------|---------------------|
| Drop Gender | Female |
| Keyway | Single |
| LED Indicator | No |
| Left Trunk Connector | Micro-Change (M12) |
| Left Trunk Gender | Male |
| Leg 1 Length | N/A |
| Leg 2 Length | N/A |
| Material - Cable Jacket | N/A |
| Material - Connector Body | PUR |
| Material - Coupling Nut | Nickel-plated Brass |
| Net Weight | 34.971/g |
| Poles | 5 |
| Right Trunk Connector | Micro-Change (M12) |
| Right Trunk Gender | Female |
| Temperature Range - Operating | -25°C to +90°C |

This document was generated on Jul 16, 2024