

Part Number: 428160312

**Product Description:** 10.00mm Pitch Mini-Fit Sr. Receptacle Housing, Single Row, 3 Circuit,

Black

Series Number: 42816

**Status:** Active

**Product Category:** Connector Housings



#### **Documents & Resources**

### **Drawings**

428160312\_sd.pdf

3D Models and Design Files

428160312\_stp.zip

#### **Specifications**

PK-42816-002-001.pdf

PS-42815-001-001.pdf

TS-42815-004-001.pdf

## **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

# EU RoHS Certificate of Compliance

## **Part Details**

## General

Status	Active
Category	Connector Housings
Series	42816
Description	10.00mm Pitch Mini-Fit Sr. Receptacle Housing, Single Row, 3 Circuit, Black
Application	Power, Wire-to-Board, Wire-to-Wire
Product Name	Mini-Fit Sr.
UPC	800754381673

# Agency

CSA	LR19980
UL	E29179

# Physical

Circuits (maximum)	3
Color - Resin	Black
Flammability	94V-0
Gender	Receptacle
Glow-Wire Capable	No
Lock to Mating Part	Yes
Material - Resin	Polyester
Net Weight	6.431/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	10.00mm
Polarized to Mating Part	Yes

Stackable	No
Temperature Range - Operating	-40° to +105°C

### **Solder Process Data**

Lead-Free Process Capability	N/A
------------------------------	-----

## Mates With / Use With

# Mates with Part(s)

Description	Part Number
10.00mm Pitch Mini-Fit Sr. Single Row Plug Housings	<u>42818</u>
Mini-Fit Sr. Vertical Single Row Headers	<u>42819</u>
Mini-Fit Sr. Right-Angle Single Row Headers	<u>42820</u>

## Use with Part(s)

Description	Part Number
Mini-Fit Sr. Female Crimp Terminals	<u>42815</u>
Use With	Terminal Position Assurance (TPA) Clip Included

This document was generated on Oct 15, 2024